

READ ME!

The GASMAT materials are contained in two zip files:

Calibration spectrum.zip – containing the necessary files and description for the energy/shape calibration plus a Technical Details file which should be studied before attempting the materials.

GASMAT_spectra.zip – containing folders for each of the six situations. Each folder contains a scenario description in pdf format and the necessary spectra for each situation.

Please note that the spectra contain files in the Canberra .cnf format. The .cnf extension causes some problems with some Windows versions and virus checkers. These files are therefore named with a .cnx extension. Please rename to the correct .cnf extension.

The 810 keV Peak

During the activity, an erroneous peak at 810 keV was observed in many of the spectra. This was determined to have come from an error in the gamma database for ^{234m}Pa and was visible in any spectrum involving that isotope. Participants were promptly informed of the error and warned not to base any identification of an isotope on the presence of the 810 keV peak. No reports were received of the erroneous peak having caused trouble for any participant. If you are attempting the GASMAT materials – please be aware of this 810 keV peak issue!!

For questions: contact mark.dowdall@nrpa.no

DISCLAIMER

Neither the authors, organisers of GASMAT or the NKS are responsible for any damage, data loss or other inconvenience whatsoever caused by the use in any way, intended or otherwise, of the materials distributed as part of the GASMAT activity. The materials of the GASMAT activity were provided “as is” and were not intended for, nor should be used for quality control purposes, mission critical applications or for the purposes of satisfying the requirements of any third party organization. The authors, organizers and NKS accept no responsibility or liability whatsoever for damages incurred in any way through use of the GASMAT materials. The material of this document represent the views of the authors and may not be the views of the associated organizations. Analytical solutions presented throughout the report are not intended to represent recommended, approved or “best” solutions but rather possible solutions using basic tools and the authors make no claim nor accept any responsibility for the correctness of any approach or damages incurred by their implementation. Mentioning, either directly or indirectly, of software or commercial products within this document or associated works does not constitute an endorsement by either the authors, their organizations or the NKS.